

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	41	GUALTIERI-DEVLIN-M.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 09:33
L2	1280	turbine and (blade fin impeller vane) same ((inductor L) same (capacitor C) L\$1C) same parallel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 09:33
L3	133	L2 and frequency	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 09:33
L4	56	("3177711" "3619805" "4186792" "4230436" "4417208" "4563643" "4604251" "4644270" "4842477" "4843259" "5126664" "5180978" "5497147" "5504425" "5742161" "5854553" "6069475" "6211667" "6288536" "6335619" "6346807" "6433541" "6462536" "6566862" "6658216").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 09:33
L5	11	("3177711").URPN.	USPAT	OR	ON	2009/02/26 09:33
L6	30	turbine and (RLC) same parallel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 09:33
L7	993	turbine and (blade fin impeller vane) and ((inductor L) same (capacitor C) L\$1C R\$1L\$1C) and amplitude	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 09:33
L8	10516	324/207.11,207.15,207.16,207.17,207.17,207.23,207.25,207.26,225,234,236,239,654,655,658,173,166,164.ccls. 73/861.77,861.78,861.79,861.87.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 09:33

L9	526	L8 and turbine	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 09:33
L10	31	L9 and (blade fin impeller vane) and ((inductor L) same (capacitor C) L\$IC R\$IL\$IC) and amplitude	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 09:33
L11	55	L9 and (blade fin impeller vane) and ((inductor L winding coil) same (capacitor C) L\$IC R\$IL\$IC) and amplitude	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 09:33
L12	24	L11 not L10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 09:33
L13	1421	turbine and (blade fin impeller vane) same ((inductor L winding coil) same (capacitor C) L\$IC R\$IL\$IC) same parallel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 09:33
L14	187	L13 and frequency	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 09:33
L15	54	L14 not L3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 09:33
L16	1288	L13 not L3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 09:33
L17	1234	L16 not L15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 09:33

L18	21	("3609580" "3851242" "4042876" "4059794" "4160204" "4414508" "4450405" "4580097" "4598260" "4659988" "4841245" "4847556" "4851770" "4875007" "4952891" "5144231" "5180978" "5198764" "5365787" "5420507" "5459405").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/02/26 09:33
L19	25	("5854553").URPN.	USPAT	OR	ON	2009/02/26 09:33
L20	1280	turbine and (blade fin impeller vane) same ((inductor L) same (capacitor C) L\$IC) same parallel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 09:33
L21	133	L20 and frequency	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 09:33
L22	11	("3177711").URPN.	USPAT	OR	ON	2009/02/26 09:33
L23	41	GUALTIERI-DEVLIN-M.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 09:33
L24	10516	324/207.11,207.15,207.16,207.17,207.17,207.23,207.25,207.26,225,234,236,239,654,655,658,173,166,164.ccls. 73/861.77,861.78,861.79,861.87. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 09:33
L25	526	L24 and turbine	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 09:33
L26	31	L25 and (blade fin impeller vane) and ((inductor L) same (capacitor C) L\$IC R\$IL\$IC) and amplitude	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 09:33
L27	55	L25 and (blade fin impeller vane) and ((inductor L winding coil) same (capacitor C) L\$IC R\$IL\$IC) and amplitude	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 09:33

L28	24	L27 not L26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 09:33
L29	993	turbine and (blade fin impeller vane) and ((inductor L) same (capacitor C) L\$1C R\$1L\$1C) and amplitude	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 09:33
L30	30	turbine and (RLC) same parallel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 09:33
L31	56	{"3177711" "3619805" "4186792" "4230436" "4417208" "4563643" "4604251" "4644270" "4842477" "4843259" "5126664" "5180978" "5497147" "5504425" "5742161" "5854553" "6069475" "6211667" "6288536" "6335619" "6346807" "6433541" "6462536" "6566862" "6658216").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 09:33
L32	1421	turbine and (blade fin impeller vane) same ((inductor L winding coil) same (capacitor C) L\$1C R\$1L\$1C) same parallel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 09:33
L33	187	L32 and frequency	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 09:33
L34	54	L33 not L21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 09:33
L35	1288	L32 not L21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 09:33
L36	1234	L35 not L34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 09:33

L37	1194	turbine and (blade fin impeller vane) and ((inductor L winding coil) same (capacitor C) L\$1C R\$1L\$1C) and amplitude	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 09:33
L38	210	(co\$1axial near3 cable) near10 (capacitor capacitance) same (coil winding) same parallel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 09:33
L39	21	("3609580" "3851242" "4042876" "4059794" "4160204" "4414508" "4450405" "4580097" "4598260" "4659988" "4841245" "4847556" "4851770" "4875007" "4952891" "5144231" "5180978" "5198764" "5365787" "5420507" "5459405").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/02/26 09:33
L40	25	("5854553").URPN.	USPAT	OR	ON	2009/02/26 09:33
L41	6	(parallel with (LC inductor with capacitor tank resonan\$7)) and (blade fin impeller vane) and turbine and (fm frequency) near3 demodulat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 09:33
L42	34	(parallel with (LC inductor with capacitor tank resonan\$7)) and (blade fin impeller vane) and (fm frequency) near3 demodulat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 09:33
L43	14	(parallel with (LC inductor with capacitor tank resonan\$7)) and (blade fin impeller vane) and turbine and demodulat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 09:33
L44	159	(sens\$3 probe transducer detect\$3) same (turbine blade fin impeller vane) and (fm frequency) near3 demodulat\$5 same (amplitude magnitude)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 09:33
L45	78	L44 and (inductor same capacitor resonan\$5 tank LC)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 09:33
L46	92	L44 and ((coil winding inductor) same capacitor resonan\$5 tank LC)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 09:33

L47	2	("2005/0088171").URPN.	USPAT	OR	ON	2009/02/26 09:33
L48	9	("2455345" "2723562" "3208269" "3377556" "4164866").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/02/26 09:33
L49	6	("5392657").URPN.	USPAT	OR	ON	2009/02/26 09:33
L50	24	(lc (inductor winding coil) same capacitor) same (turbine blade fin impeller vane) and (fm frequency) near3 demodulat\$5 same (amplitude magnitude)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 09:33
L51	11	("3177711").URPN.	USPAT	OR	ON	2009/02/26 09:33
L52	3510	(induct\$4 winding coil) with capacitor with (sens\$3 probe transducer detect\$3) same (parallel with (LC (induct\$4 winding coil) with capacitor))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 09:33
L53	278	324/2\$.ccls. and (induct\$4 winding coil) with capacitor with (sens\$3 probe transducer detect\$3) same (parallel with (LC (induct\$4 winding coil) with capacitor))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 09:33
L54	77	demodulat\$5 and (sens\$4 probe transducer detect\$4) same (LC induct\$4 with capacit\$4) and turbine	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 09:33
L55	365	demodulat\$5 and (sens\$4 probe transducer detect\$4) same (LC induct\$4 with capacit\$4) and (turbo\$1charger blade fin vane impeller)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 09:33
L56	320	L55 not L54	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 09:33
L57	3930	324/207.15,207.16,207.17,207.25,207.26.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 09:33

L58	3791	324/164,166,173,179,654,655,667,668,682.ccls. 73/861.78,861.79.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 09:33
L59	734	(L57 L58) and (turbine blade fin impeller vane turbo\$1charger)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 09:33
L60	1110	(L8) and (turbine blade fin impeller vane turbo\$1charger)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 09:33
L61	413	L60 not L59	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 09:33
L62	84	(L59 L60) and (determin\$ find\$5 comput\$5 calculat\$5 deriv\$5 measur\$3 sens\$4 detect\$4) near\$5 (gap air\$1gap clearance space distance) with (blade fin vane impeller turbine turbo\$1charger)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 09:33
L63	7	"10320791"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 09:33
L64	669	73/861.78,861.79.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 10:59
L65	849	324/654,655,667,668,682.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 11:09
L66	823	59 and (adjust\$3 chang\$3 alter\$3 control\$3 modify\$3 modification) near\$3 (distance clearance gap air\$1gap space) with (blade impeller vane fin turbine turbo\$1charger turbo\$1machin\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 13:28

L67	3	59 and (adjustment alteration) near3 (distance clearance gap air\$1gap space) with (blade impeller vane fin turbine turbo\$1charger turbo\$1machin\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 13:32
L69	250	("324".clas. "73".clas.) and (adjust\$3 chang\$3 alter\$3 control\$3 modify\$3 modification adjustment alteration) near3 (distance clearance gap\$3 air\$1gap\$3 spac\$3) with (blade impeller vane fin turbine turbo\$1charger turbo\$1machin\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 13:33
L75	576	(parallel with (LC (inductor winding coil) with capacit\$4 tank tank\$1circuit resonan\$7)) and (blade fin impeller vane) and (turbine turbo\$1charger turbo\$1machin\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 13:51
L76	16	75 and (adjust\$3 chang\$3 alter\$3 control\$3 modify\$3 modification adjustment alteration) near3 (distance clearance gap\$3 air\$1gap\$3 spac\$3) with (blade impeller vane fin turbine turbo\$1charger turbo\$1machin\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 13:51
L77	322432	(turbine turbo\$1charger turbo\$1machin\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 13:52
L78	2745	77 and (adjust\$3 chang\$3 alter\$3 control\$3 modify\$3 modification adjustment alteration) near3 (distance clearance gap\$3 air\$1gap\$3 spac\$3) with (blade impeller vane fin turbine turbo\$1charger turbo\$1machin\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 13:52
L79	59	78 and (coil winding\$3 induct\$4) near5 (sens\$4 probe transducer detect\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 13:53
L80	584	(parallel with (LC (induct\$4 winding coil) with capacit\$4 tank tank\$1circuit resonan\$7)) and (blade fin impeller vane) and (turbine turbo\$1charger turbo\$1machin\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 13:55
L81	16	80 and (adjust\$3 chang\$3 alter\$3 control\$3 modify\$3 modification adjustment alteration) near3 (distance clearance gap\$3 air\$1gap\$3 spac\$3) with (blade impeller vane fin turbine turbo\$1charger turbo\$1machin\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 13:55

L83	1	324/207.16,207.26,655.ccls. and ((blade fin vane impeller turbine turbo\$1machin\$5 turbo\$1charger) and (LC capacitor with (induct\$4 winding coil))).clm.	US-PGPUB	OR	ON	2009/02/26 13:56
L84	28	("3177711" "3619805" "4186792" "4230436" "4324144" "4417208" "4563643" "4604251" "4644270" "4842477" "4843259" "5126664" "5180978" "5497147" "5504425" "5742161" "5854553" "6069475" "6211667" "6288536" "6335619" "6346807" "6433541" "6462536" "6486657" "6566862" "6658216").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/02/26 14:21
L85	1441	415/118.ccls. 73/455,462.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/02/26 14:26
L86	37	85 and (adjust\$3 chang\$3 alter\$3 control\$3 modify\$3 modification adjustment alteration) near3 (distance clearance gap\$3 air\$1gap\$3 spac\$3) with (propeller blade impeller vane fin turbine turbo\$1charger turbo\$1machin\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 14:26
L87	43	(L77 L80 "324".clas. "73".clas.) and (adjust\$3 chang\$3 alter\$3 control\$3 modify\$3 modification adjustment alteration) near3 (distance clearance gap\$3 air\$1gap\$3 spac\$3) with (propeller)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 14:31
L88	112	(parallel with (LC (induct\$4 winding coil) with capacit\$4 tank tank\$1circuit resonan\$7)) and (propeller) and (turbine turbo\$1charger turbo\$1machin\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 14:32
L89	80	88 and (adjust\$3 chang\$3 alter\$3 control\$3 modify\$3 modification adjustment alteration) near3 (distance clearance gap\$3 air\$1gap\$3 spac\$3) with (propeller)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 14:32
L90	80	324/207.16,207.26,655.ccls. and ((propeller) and (LC capacitor with (induct\$4 winding coil))).clm.	US-PGPUB	OR	ON	2009/02/26 14:34
L91	32	24 and (adjust\$3 chang\$3 alter\$3 control\$3 modify\$3 modification adjustment alteration) near3 (distance clearance gap\$3 air\$1gap\$3 spac\$3) with (propeller blade impeller vane fin turbine turbo\$1charger turbo\$1machin\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 14:43
L92	44	(GUALTIERI near3 DEVLIN).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 14:55
L93	469	(L24 "324".clas. "73".clas. 415/118.ccls. L88 L77 L80) and (adjust\$3 chang\$3 alter\$3 control\$3 modify\$3 modification adjustment alteration) near3 (distance clearance gap\$3 air\$1gap\$3 spac\$3) with (shroud)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 14:58

2/26/2009 3:08:06 PM

C:\Documents and Settings\dschindler\My Documents\EAST\Workspaces\10696215RCE_A2.wsp